Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2015 - June 30, 2016

Filing Deadline: July 15, 2016

Filing Date: 07/13/2016 09:34 PM

Filing Confirmation Number: 0007339635

FRN: 0018939488

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name: LG Electronics MobileComm USA, Inc.

Brand Names: LG

PO Box:

Street Address: 1000 Sylvan Avenue

City: Englewood Cliffs

State: NJ

Zip Code: 07632

Contact Name: Jongchul Lee

Contact Phone: (201) 408-9181

Contact Fax: (858) 635-5378

Contact Email: jongchul.lee@lge.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for

hearing aid compatibility with respect to such operation?
Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?
Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?
Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels. Yes

Website address: http://www.lg.com/us/accessibility/mobile/accessibility-hacphones

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: LG is doing or did several activities to provide better accessibilities including HAC.
For details, please see below.
1. LG is a participating member of the Telecommunications Subcommittee of the FCC Disability Advisory Committee in Washington, DC.
2. LG tried to attend the accessibility workshop or event like CSUN conference as often as possible to track the trend and get any good VoC.
3. LG had a consulting with NCAM to obtain VoC from disability persons and reflect it to our products in Washington, DC in last September. This is an annual consulting program, so we'll have it in coming September.
4. LG attends every TCBC workshop to track HAC policy or any update on the policy and reflect it to our products.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 28

Report Remarks

28 models based on FCC ID have been tested and certified during the reporting period.

You have reported the following handset model summary information.

Total number of handsets offered: 78

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	53	98%			1	2%	54
CDMA	42	98%	1	2%			43
WCDMA	52	98%			1	2%	53
LTE	57	100%					57
Wi-Fi	65	97%	1	1%	1	1%	67
Bluetooth	74	97%	1	1%	1	1%	76

Handset 1: LG LG-A380

Handset Maker

  LG

Handset Model Name   **FCC ID**

  LG-A380   ZNFA380

Air Interfaces/Frequency Bands

  850 MHz GSM
  850 MHz WCDMA
 1900 MHz GSM
  1900 MHz WCDMA
  2.4 GHz Bluetooth

Dates

  This handset model was offered from: 07/15 to 02/16

Ratings

  M-Rating: M3

  M-Rating Certification Date: 10/17/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 10/17/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name: F4R

Handset 2: LG LG-B460

Handset Maker

LG

Handset Model Name	FCC ID
LG-B460	ZNFB460
LG-B470	ZNFB460
LG-B471	ZNFB460
LG441G	ZNFB460

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 06/20/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user

optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/20/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG-B460, LG-B470, LG-B471: F4NR
- LG441G: LG441G

Handset 3: LG LG-C410

Handset Maker

LG

Handset Model Name	FCC ID
LG-C410	ZNFC410

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 10/18/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 10/18/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- Xpression 2

Handset 4: LG LG-D321

Handset Maker

  LG

Handset Model Name	**FCC ID**
LG-D321	ZNFD321

Air Interfaces/Frequency Bands

  850 MHz GSM
  850 MHz WCDMA
  1900 MHz GSM
  1900 MHz WCDMA
  2.4 GHz Wi-Fi
  2.4 GHz Bluetooth

Dates

  This handset model was offered from: 07/15 to 07/15

Ratings

  M-Rating: M3

  M-Rating Certification Date: 04/11/14

  Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

  Version of the ANSI C63.19 standard used during the certification process: 2011

  T-Rating: T3

  T-Rating Certification Date: 04/11/14

  Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

  Marketing name
  - Optimus L70

Handset 5: LG LG-D415RD

Handset Maker

  LG

Handset Model Name	**FCC ID**
LG-D415RD	ZNFD415

Air Interfaces/Frequency Bands

  850 MHz GSM
  850 MHz WCDMA
  1700 MHz WCDMA
  1900 MHz GSM
  1900 MHz WCDMA
  2.4 GHz Wi-Fi
  2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/15 to 08/15

Ratings

M-Rating: M3

M-Rating Certification Date: 03/10/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/10/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- Optimus L90

Handset 6: LG LG-D631

Handset Maker

LG

Handset Model Name	FCC ID
LG-D631	ZNFD631

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 10/15

Ratings

M-Rating: M4

M-Rating Certification Date: 07/15/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 07/15/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- G Vista

Handset 7: LG LG-D725

Handset Maker

LG

Handset Model Name	FCC ID
LG-D725	ZNFD725

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 07/15 to 08/15

Ratings

M-Rating: M3

M-Rating Certification Date: 08/05/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 08/05/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- G Vigor

Handset 8: LG LG-D850

Handset Maker

LG

Handset Model Name   FCC ID

LG-D850   ZNFD850

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 07/15 to 08/15

Ratings

M-Rating: M3

M-Rating Certification Date: 05/19/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/19/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- G3

Handset 9: LG LG-D851

Handset Maker

LG

Handset Model Name

Handset Model Name	FCC ID
LG-D851	ZNFD851

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 08/15

Ratings

M-Rating: M3

M-Rating Certification Date: 05/19/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/19/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- G3

Handset 10: LG LG-H345

Handset Maker

LG

Handset Model Name	FCC ID
LG-H345	ZNFH345
LG-MS345	ZNFH345

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M3

M-Rating Certification Date: 04/15/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 04/15/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Leon

Handset 11: LG LG-H443

Handset Maker

LG

Handset Model Name	FCC ID
LG-H443	ZNFH443
LG-H445	ZNFH443

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 03/04/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/04/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- Escape 2

Handset 12: LG LG-H631

Handset Maker

LG

Handset Model Name   FCC ID

Handset Model Name	FCC ID
LG-H631	ZNFH631
LG-MS631	ZNFH631

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 05/16

Ratings

M-Rating: M3

M-Rating Certification Date: 03/04/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/04/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG G Stylo

Handset 13: LG LG-H634

Handset Maker

LG

Handset Model Name	FCC ID
LG-H634	ZNFH634

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 04/16

Ratings

M-Rating: M3

M-Rating Certification Date: 05/18/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/18/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- G Stylo

Handset 14: LG LG-H740

Handset Maker

LG

Handset Model Name   FCC ID

LG-H740   ZNFH740

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi
2300 MHz LTE

Dates

This handset model was offered from: 10/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 08/31/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 08/31/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- G Vista2

Handset 15: LG LG-H790

Handset Maker

LG

Handset Model Name	FCC ID
LG-H790	ZNFH790

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi
2300 MHz LTE
2600 MHz LTE

Dates

This handset model was offered from: 10/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 10/02/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 10/02/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- N3

Handset 16: LG LG-H810

Handset Maker

LG

Handset Model Name   FCC ID

LG-H810   ZNFH810

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 04/30/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/30/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- G4

Handset 17: LG LG-AS811

Handset Maker

LG

Handset Model Name	FCC ID
LG-AS811	ZNFH811
LG-H811	ZNFH811

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 05/01/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/01/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- G4

Handset 18: LG LG-H820

Handset Maker

LG

Handset Model Name	FCC ID
LG-H820	ZNFH820

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi
2300 MHz LTE
2600 MHz LTE

Dates

This handset model was offered from: 03/16 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 03/15/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/15/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- G5

Handset 19: LG LG-H830

Handset Maker

LG

Handset Model Name	FCC ID
LG-H830	ZNFH830

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 03/16 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 03/15/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/15/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG G5

Handset 20: LG LG-H900

Handset Maker

LG

Handset Model Name	FCC ID
LG-H900	ZNFH900

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi
2300 MHz LTE

Dates

This handset model was offered from: 10/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 10/09/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 10/09/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- V10

Handset 21: LG LG-H901

Handset Maker

LG

Handset Model Name	FCC ID
LG-H901	ZNFH901

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 10/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 10/09/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 10/09/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG V10

Handset 22: LG LG-H950

Handset Maker

LG

Handset Model Name   FCC ID

LG-H950   ZNFH950

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 07/15 to 09/15

Ratings

M-Rating: M3

M-Rating Certification Date: 03/06/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/06/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- G Flex 2

Handset 23: LG LG-AS330

Handset Maker

LG

Handset Model Name	FCC ID
LG-AS330	ZNFK330
LG-K330	ZNFK330
LG-MS330	ZNFK330
LGL51AL	ZNFK330

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 01/16 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 12/16/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for

emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/16/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG-AS330: M1
- LG-K330/LG-MS330: LG K7
- LGL51AL: Treasure

Handset 24: LG LG-K371

Handset Maker

LG

Handset Model Name	FCC ID
LG-K371	ZNFK371

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 04/16 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 02/27/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/27/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- Phoenix 2

Handset 25: LG LG-K373

Handset Maker

LG

Handset Model Name   FCC ID

LG-K373   ZNFK373

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 04/16 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 01/29/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/29/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- Escape 3

Handset 26: LG LG-K425

Handset Maker

LG

Handset Model Name   FCC ID

LG-K425   ZNFK425

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 06/16 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 05/02/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/02/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- M2

Handset 27: LG LG-K428

Handset Maker

LG

Handset Model Name	FCC ID
LG-K428	ZNFK428
LG-MS428	ZNFK428

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 05/16 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 04/18/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/18/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG K10

Handset 28: LG LG-K550

Handset Maker

LG

Handset Model Name	FCC ID
LG-K550	ZNFK550BN
LG-MS550	ZNFK550BN

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 06/16 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 05/31/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/31/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Stylus 2 Plus

Handset 29: LG LG-LS740

Handset Maker

LG

Handset Model Name   FCC ID

LG-LS740   ZNFLS740

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE

Dates

This handset model was offered from: 07/15 to 07/15

Ratings

M-Rating: M4

M-Rating Certification Date: 01/28/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/28/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- Volt

Handset 30: LG LG-AS375

Handset Maker

LG

Handset Model Name   FCC ID

Handset Model Name	FCC ID
LG-AS375	ZNFUS375
LG-US375	ZNFUS375

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 04/16 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 02/04/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 02/04/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- K8

Handset 31: LG LG-US550

Handset Maker

LG

Handset Model Name	FCC ID
LG-US550	ZNFUS550

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/15 to 03/16

Ratings

M-Rating: M4

M-Rating Certification Date: 03/25/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/25/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LOGOS

Handset 32: LG LG-AS990

Handset Maker

LG

Handset Model Name	FCC ID
LG-AS990	ZNFUS990
LG-US990	ZNFUS990

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 08/15

Ratings

M-Rating: M4

M-Rating Certification Date: 08/18/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 08/18/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- G3

Handset 33: LG LG-US991

Handset Maker

LG

Handset Model Name   FCC ID

LG-US991   ZNFUS991

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 05/06/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/06/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- G4

Handset 34: LG LG-AS995

Handset Maker

LG

Handset Model Name	FCC ID
LG-AS995	ZNFUS995
LG-US995	ZNFUS995

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 01/16

Ratings

M-Rating: M4

M-Rating Certification Date: 01/08/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/08/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- G Flex2

Handset 35: LG LG-AN170

Handset Maker

LG

Handset Model Name	FCC ID
LG-AN170	ZNFVN170
LG-UN170	ZNFVN170
LG-UN170PP	ZNFVN170
LG-VN170	ZNFVN170
LG237C	ZNFVN170

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 04/18/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for

emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 04/18/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG237C: LG237C
- LG-AN170/LG-UN170/LG-UN170PP: F200c
- LG-VN170: LG Revere 3

Handset 36: LG LG-VN210

Handset Maker

LG

Handset Model Name	FCC ID
LG-VN210	ZNFVN210

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz GSM
1900 MHz GSM
1900 MHz CDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 05/18/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/18/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Terra

Handset 37: LG LG-VN251S

Handset Maker

LG

Handset Model Name	FCC ID
LG-VN251S	BEJVN251
LG-VN251SNPP	BEJVN251

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 06/03/11

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 06/03/11

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Marketing name
- LG Cosmos 3

Handset 38: LG LG-UN280

Handset Maker

LG

Handset Model Name	FCC ID
LG-UN280	ZNFVN280
LG-UN280PP	ZNFVN280
LG-VN280	ZNFVN280

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 01/16/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/16/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG-VN280: Extravert 2
- LG-UN280/LG-UN280PP: Q400c

Handset 39: LG LG-UN530

Handset Maker

LG

Handset Model Name	FCC ID
LG-UN530	ZNFVN360
LG-VN360	ZNFVN360

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/15 to 03/16

Ratings

M-Rating: M4

M-Rating Certification Date: 05/16/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user

optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/16/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG-VN360: Exalt
- LG-UN530: WINE III

Handset 40: LG LG-UN540

Handset Maker

LG

Handset Model Name	FCC ID
LG-UN540	ZNFVN370
LG-VN370	ZNFVN370

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Bluetooth

Dates

This handset model was offered from: 08/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 05/28/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/28/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG-VN370: LG Exalt 2
- LG-UN540: WINE 5

Handset 41: LG LG-VS425

Handset Maker

LG

Handset Model Name	**FCC ID**
LG-VS425	ZNFVS425

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 03/16 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 02/23/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/23/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG K4 LTE

Handset 42: LG LG-VS425PP

Handset Maker

LG

Handset Model Name	**FCC ID**
LG-VS425PP	ZNFVS425PP

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA
850 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 01/16 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 12/10/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/10/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG-VS425PP: LG Zone 3
- LGL44VL: Rebel

Handset 43: LG LG-VS450PP

Handset Maker

LG

Handset Model Name	**FCC ID**
LG-VS450PP	ZNFVS450PP

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M4

M-Rating Certification Date: 02/21/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/21/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Optimus Exceed 2

Handset 44: LG LG-VS500

Handset Maker

LG

Handset Model Name   FCC ID

LG-VS500   ZNFVS500

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 06/16 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 04/12/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/12/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG K8 V

Handset 45: LG LG-VS810KPP

Handset Maker

LG

Handset Model Name   FCC ID

Handset Model Name	FCC ID
LG-VS810KPP	ZNFVS810PP
LG-VS810PP	ZNFVS810PP

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 09/22/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/22/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Transpyre

Handset 46: LG LG-VS880

Handset Maker

LG

Handset Model Name   FCC ID

LG-VS880   ZNFVS880
LG-VS880PP   ZNFVS880

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 09/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 05/21/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/21/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG G Vista

Handset 47: LG LG-AS985

Handset Maker

LG

Handset Model Name	FCC ID
LG-AS985	ZNFVS985
LG-VS985	ZNFVS985
LG-VS985K	ZNFVS985
LG-VS985W	ZNFVS985
LG-VS985WK	ZNFVS985

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 06/03/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 06/03/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- G3

Handset 48: LG LG-AS986

Handset Maker

LG

Handset Model Name	FCC ID
LG-AS986	ZNFVS986
LG-VS986	ZNFVS986
LG-VS986B	ZNFVS986
LG-VS986LD	ZNFVS986
LG-VS986W	ZNFVS986

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 05/06/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/06/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- G4

Handset 49: LG LG-RS988

Handset Maker

LG

Handset Model Name	FCC ID
LG-RS988	ZNFVS987
LG-US992	ZNFVS987
LG-VS987	ZNFVS987
LG-VS987T	ZNFVS987

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 03/16 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 03/15/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user

optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/15/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG-VS987/LG-VS987T: G5
- LG-US992/LG-RS988: Alice

Handset 50: LG LG-RS987

Handset Maker

LG

Handset Model Name | FCC ID

Handset Model Name	FCC ID
LG-RS987	ZNFVS990
LG-VS990	ZNFVS990
LG-VS990W	ZNFVS990

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
5.0 GHz Wi-Fi
2600 MHz LTE

Dates

This handset model was offered from: 10/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 10/05/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 10/05/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- V10

Handset 51: LG LG-VS820

Handset Maker

LG

Handset Model Name	FCC ID
LG-VS820	ZNFVW820
LG-VW820	ZNFVW820

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz LTE
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/15 to 04/16

Ratings

M-Rating: M3

M-Rating Certification Date: 04/04/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 04/04/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG Lancet

Handset 52: LG LG108C

Handset Maker

LG

Handset Model Name	FCC ID
LG108C	ZNF109C
LG109C	ZNF109C

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 08/15 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 05/29/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/29/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG108C
- LG109C

Handset 53: LG LG305C

Handset Maker

LG

Handset Model Name	FCC ID
LG305C	ZNFLG305C

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 08/15 to 05/16

Ratings

M-Rating: M4

M-Rating Certification Date: 01/21/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Marketing name
- LG305C

Handset 54: LG LG306G

Handset Maker

LG

Handset Model Name	FCC ID
LG306G	ZNF306G

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating:

M-Rating Certification Date:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Marketing name
- LG306G

Handset 55: LG LG328BG

Handset Maker

LG

Handset Model Name	FCC ID
LG328BG	ZNF329G
LG329G	ZNF329G

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 11/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 06/02/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user

optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 06/02/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LG328BG
- LG329G

Handset 56: LG LGL15G

Handset Maker

LG

Handset Model Name	FCC ID
LGL15G	ZNFL15G

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 08/15 to 04/16

Ratings

M-Rating: M3

M-Rating Certification Date: 01/07/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/07/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- Sunrise

Handset 57: LG LGL16C

Handset Maker

LG

Handset Model Name	FCC ID
LGL16C	ZNFL16C

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/15 to 05/16

Ratings

M-Rating: M4

M-Rating Certification Date: 01/07/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/07/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- Lucky

Handset 58: LG LGL21G

Handset Maker

LG

Handset Model Name	FCC ID
LGL21G	ZNFL21G

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/15 to 05/16

Ratings

M-Rating: M3

M-Rating Certification Date: 01/30/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/30/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- Destiny

Handset 59: LG LGL22C

Handset Maker

LG

Handset Model Name	FCC ID
LGL22C	ZNFL22C

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/15 to 04/16

Ratings

M-Rating: M4

M-Rating Certification Date: 01/22/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/22/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- Power

Handset 60: LG LG-H343

Handset Maker

LG

Handset Model Name   FCC ID

Handset Model Name	FCC ID
LG-H343	ZNFL33L
LGL33L	ZNFL33L

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/15 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 03/22/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user

optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/22/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LGL33L: Sunset
- LG-H343: Risio

Handset 61: LG LG-VS415PP

Handset Maker

LG

Handset Model Name	FCC ID
LG-VS415PP	ZNFL34C
LGL34C	ZNFL34C

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 07/15 to 03/16

Ratings

M-Rating: M4

M-Rating Certification Date: 12/18/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 12/18/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LGL34C: Optimus Fuel
- LG-VS415PP: LG Optimus Zone 2

Handset 62: LG LG-K120

Handset Maker

LG

Handset Model Name	FCC ID
LG-K120	ZNFL43AL
LGL43AL	ZNFL43AL

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 02/16 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 12/28/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/28/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LGL43AL: Rebel
- LG-K120: Spree

Handset 63: LG LGL52VL

Handset Maker

LG

Handset Model Name	FCC ID
LGL52VL	ZNFL52VL

Air Interfaces/Frequency Bands

700 MHz LTE

800 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 03/16 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 01/05/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/05/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- Treasure

Handset 64: LG LGL61AL

Handset Maker

LG

Handset Model Name	FCC ID
LGL61AL	ZNFL61AL

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 03/16 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 02/16/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/16/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- Premier

Handset 65: LG LGL62VL

Handset Maker

LG

Handset Model Name	FCC ID
LGL62VL	ZNFL62VL

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 03/16 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 01/07/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/07/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- Premier

Handset 66: LG LG-K540

Handset Maker

LG

Handset Model Name   FCC ID

Handset Model Name	FCC ID
LG-K540	ZNFL81AL
LGL81AL	ZNFL81AL

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 03/16 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 01/21/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 01/21/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- Stylo 2

Handset 67: LG LGL82VL

Handset Maker

LG

Handset Model Name   FCC ID

LGL82VL   ZNFL82VL

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
1700 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth

Dates

This handset model was offered from: 03/16 to 06/16

Ratings

M-Rating: M4

M-Rating Certification Date: 01/27/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 01/27/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- Stylo 2

Handset 68: LG LGLS450

Handset Maker

LG

Handset Model Name   FCC ID

LGLS450   ZNFLS450

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE

Dates

This handset model was offered from: 06/16 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 05/09/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/09/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- K3

Handset 69: LG LGLS660

Handset Maker

LG

Handset Model Name   FCC ID

LGLS660   ZNFLS660

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz LTE
1900 MHz CDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE

Dates

This handset model was offered from: 07/15 to 08/15

Ratings

M-Rating: M4

M-Rating Certification Date: 07/28/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 07/28/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- Tribute

Handset 70: LG LGLS665

Handset Maker

LG

Handset Model Name   FCC ID

LGLS665   ZNFLS665

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE

Dates

This handset model was offered from: 07/15 to 04/16

Ratings

M-Rating: M4

M-Rating Certification Date: 05/07/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 05/07/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- Tribute2

Handset 71: LG LGLS675

Handset Maker

LG

Handset Model Name   FCC ID

LGLS675   ZNFLS675

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE

Dates

This handset model was offered from: 01/16 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 12/08/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/08/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- Tribute5

Handset 72: LG LGLS751

Handset Maker

LG

Handset Model Name   FCC ID

LGLS751   ZNFLS751

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE

Dates

This handset model was offered from: 07/15 to 12/15

Ratings

M-Rating: M4

M-Rating Certification Date: 04/26/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 04/26/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- Volt 2

Handset 73: LG LGLS770

Handset Maker

LG

Handset Model Name   FCC ID

LGLS770   ZNFLS770

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 03/16

Ratings

M-Rating: M4

M-Rating Certification Date: 03/10/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/10/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- G Stylo

Handset 74: LG LGLS775

Handset Maker

LG

Handset Model Name   FCC ID

LGLS775   ZNFLS775

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE

Dates

This handset model was offered from: 04/16 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 02/25/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/25/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- G Stylo 2

Handset 75: LG LGLS990

Handset Maker

LG

Handset Model Name   FCC ID

LGLS990   ZNFLS990

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 10/15

Ratings

M-Rating: M4

M-Rating Certification Date: 06/05/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 06/05/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- G3

Handset 76: LG LGLS991

Handset Maker

LG

Handset Model Name   FCC ID

LGLS991   ZNFLS991

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 05/16

Ratings

M-Rating: M3

M-Rating Certification Date: 05/07/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/07/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- G4

Handset 77: LG LG-AS992

Handset Maker

LG

Handset Model Name   FCC ID

Handset Model Name	FCC ID
LG-AS992	ZNFLS992
LGLS992	ZNFLS992

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 03/16 to 06/16

Ratings

M-Rating: M3

M-Rating Certification Date: 03/15/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user

optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 03/15/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- LGLS992: G5
- LG-AS992: Alice

Handset 78: LG LGLS996

Handset Maker

LG

Handset Model Name   FCC ID

LGLS996   ZNFLS996

Air Interfaces/Frequency Bands

700 MHz LTE
800 MHz CDMA
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
2.4 GHz Bluetooth
2.5 GHz LTE
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 07/15 to 10/15

Ratings

M-Rating: M3

M-Rating Certification Date: 11/26/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 11/26/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Marketing name
- G Flex2

Certification

This Report has been certified by:

Jongchul Lee Director
07/13/2016 09:34 PM